



LP-7330 SCOREBOARD LED DISPLAY



HIGH VISIBILITY REMOTE DISPLAY

High luminance and good stability. The LP-7330 Remote Display is perfect when long distance warehouse visibility is needed. The Bright Red 6 Digit LED is visible up to 125'. The Mild Steel black Powder Coating enclosure provides Excellent Durability. The provided 35' serial cable allows connection to the Indicator at a distance.

SIZES AVAILABLE

- #650842 - 3" Tall Digit LED Remote Display
- #650841 - 5" Tall Digit LED Remote Display
- #65084 - 8" Tall Digit LED Remote Display

OVERVIEW

High luminance and good stability. The LP-7330 Remote Display is perfect when long distance warehouse visibility is needed. The Bright Red 6 Digit LED is visible up to 125'. The Mild Steel black Powder Coating enclosure provides Excellent Durability. The provided 35' serial cable allows connection to the Indicator at a distance.

SPECIFICATIONS

ABS plastic enclosure

3", 5", or 8" LED Display

Baud Rate: 1,200

Communication Format: Each group of the data includes 9 digit ASCII code (including decimal) in low to high order, separated by a breaking sign "="

Communication Interface: RS232/current loop

Wiring Code: Black-GND; Red-RXD

Data bit: 8 bit; Stop bit: 1 bit; No Parity

Power supply: 120-240VAC

**LP-7330 SCOREBOARD LED INDICATOR**

#65084 / LP-7330, ABS ENCLOSURE, 8" TALL DIGIT REMOTE DISPLAY, LED

#650841 / LP-7330, ABS ENCLOSURE, 5" TALL DIGIT REMOTE DISPLAY, LED

#650842 / LP-7330, ABS ENCLOSURE, 3" TALL DIGIT REMOTE DISPLAY, LED

WARRANTY

We stand behind our products. INSCALE products come with a 3-Year Warranty from the date of original purchase on defects in material and workmanship for all INSCALE products properly installed by an authorized distributor

DISCOUNTS & SPECIAL PRICING

All Military, Federal & State purchasing agents, call today for your special discount off of our entire catalog of scales, parts, & accessories. All basic commercial freight-inclusive scale packages have restrictions and conditions. Additional charges may apply if these conditions are not met. Click the link below to learn more.